

FLOOR DOOR


Side B	Side C	Side D	VERSION	H LIGHT	H FRAME	FRAME	WINDOW	GLASS	ACCESSORIES
G	1		Galv.+Aluminium Cov.+RAL9010*	2000	2100	Galv.+Al.+Cov+RAL 9010*	Panoramic	Transparent	C2

C1 = Enabling key for the floor button pad (single insertion) C2 = Enabling key for the floor button pad (double insertion) PM = Button pad on the wall PE = Outside lock and button pad

Shaft V66 ()

ENVIRONMENT	VERSION	Cladding	START	ROOF	ANCHORAGE
Inside	Galvanized	See pages 3 and 4	Pit bottom	Excluded	Anchorage to care of the Customer. Ancoraggio a cura del Committente.
Interno	Zincata	Vedi Pag. 3 e 4	Fondo Fossa	Assente	

(* Galvanized & aluminium covered & RAL 910 Smooth finish - No raised edges - Glass surrounds RAL 9010 smooth




Cabina
Classica

Stops: 2 - Doors: 2

Shaft in Shaft V66 ()



		Designer	Date	Final Drawings	
				Model	SHEET
				ELFO	1/4
		D.Tomei	10/02/2016		SHEET DIMENS.
		Final Drawings L. Del Bianco	1° STESURA 19/02/16		A3
		CAPACITY	AREA m ²	CAPACITY	SCALE
		350 kg	1,48		1:12.5



Indirect Installation Speed **0,3 m/s** 19/02/16 14.28 (V.2876)

THRUST DURING NORMAL OPERATION			THRUST OF SAFETY DEVICE INTERVENT.		
P	(N)	11230	P	(N)	550
N	(N)	578	N	(N)	7515
F1	(N)	1672	F1	(N)	2786
F2	(N)	338	F2	(N)	563

SPACES		PRESSURES	
E.I.	Extrarun below cabin (mm)	Max static pressure (bar)	36,63
E.S.	Extrarun above cabin (mm)	Min static pressure (bar)	18,79
SF.	Piston extraction (mm)	Overpressure limit (bar)	51,28
S.S.P.	Piston/head (mm)	Residual pressure (bar)	1,43
S.S.C.	Cabin/head (mm)		

HYDRAULIC UNIT		MECHANICAL PARTS	
Central unit	GMV HL 3010 (-*)	Guide rails	70x70x9
Capacity (l/min)	35	Brackets	(Nr) 5
Motor (V)	MF230V	Ropes	Ø 9 mm 6-(1+9+9)
Power (Kw)	2,9	Cables length (mm) 2 x	9000
Nominal current (A)	27	Min actual breaking load (N)	47300
Piston	Start Home (Ø)70x5x2000		
Opt. oil position	BASSO		
Tubing	3/4" EN 853 1SN - FD 3/4" - GOMITO 3/4"		
Tubing length (mm)	8000		
Min hydraulic oil (L)	41		

SECURITY DEVICES	Manufacturer	Model	Certificate
Safety Gear	PFB	BP1	TÜV AFV515
Block Valve	START ELEVATOR	1/2" 0327	CA50.00525
Key Locks	Prudhomme	PLT/L/CPX NL 11-400-1002-125-02	

MACHINERY LOCATION			
At floor	1	Length of the hose travel	3000 (mm)
Cables enter in shaft: Side	A		

CABIN		CABIN ACCESSORIES	
Panels	Galvanized sheet	Mirror	No Strip Side D
Finishes	Inox BA mecc.	Handrail	Inox Lucido, Side A
Oper. panel	Vertical Flush mounted **	Outside covering	Roof
Floor	Touch 2404	Outside finishing	SmilInox F12PPS
Ceiling	LABIRINT - Inox BA mecc.	Mirror	Side A
(**) Corner A/B - Inox BA mecc.			


OTHER ACCESSORIES
Enabling key for the cabin button pad, double insertion
Guides dimension 2.5 m
Manual pump
Manostat with overweight signal
<u>Two speed</u>
False head device
Doors without handles (and without holes for handles)
<u>Telephone by Lift Shop</u>
Full height infra-red curtain V2
<u>Roof covering</u>
Automatic Control 2011
Call Accept
Emergency manual descent from cabin
<u>Blue Buttons - Cabin Buttons: "G 1"</u>



Final Drawings L. Del Bianco	1° STESURA 19/02/16
Final Drawings	
SCALE OUT OF SCALE	SHEET 2/4

ENVIRONMENT	VERSION	Cladding	START	ROOF	ANCHORAGE
Inside	Galvanized	See pages 3 and 4	Pit bottom	Excluded	Anchorage to care of the Customer. Ancoraggio a cura del Committente.
Interno	Zincoata	Vedi Pag. 3 e 4	Fondo Fossa	Assente	

Anchorage in height of 3 frames in head and every 3.5 m max



Cladding Galvanized



ORDER NUMBER
PS2372

ORDER
88477 - Brisbane

Final Drawings
L. Del Bianco
19/02/16

Final Drawings

SCALE

SHEET

3/4

1" STESSURA

Cladding

Tag	Q.ty	Type	Thickness	Width	Height
A	3	Glass Excluded	8/9	1320	1352
B	1	Glass Excluded	8/9	1320	1380
C	2	Sheet Cladding		1450	1330
D	1	Sheet Cladding		1450	688
E	1	Sheet Cladding		1300	30
F	1	Sheet Cladding		1300	405
G	1	Sheet Cladding		1300	1330
H	1	Sheet Cladding		1300	1358
I	3	Glass Excluded	8/9	1470	1352
J	1	Glass Excluded	8/9	1470	1380



ORDER
88477 - Brisbane

CLIENT
Lift Shop

Final Drawings
L. Del Bianco

1° STESURA
19/02/16

ORDER NUMBER
PS2372

PLACE OF INSTALLATION
Unit 29, 94 Seaworld Drive, Main Beach, Qld

Final Drawings

SCALE
OUT OF SCALE

SHEET
4/4