



FLOOR DOOR

Side B	Side C	Side D	VERSION	H LIGHT	H FRAME	FRAME	WINDOW	GLASS	ACCESSORIES
1 2 3			Alluminium	78 3/4"	82 11/16"	Anodized aluminium	Panoramic	Transparent	

C1 = Enabling key for the floor button pad (single insertion) C2 = Enabling key for the floor button pad (double insertion) PM = Button pad on the wall PE = Outside lock and button pad



Feasibility n° 1885 - COP - Autodialer Predisposition

Stops: 3 - Doors: 3


Shaft in **Masonry (Muratura)**

Customer own flooring: Dimensions **49 5/8"** (L) x **40 15/16"** (P) thks **9/16"** ft Weight: **50 lbs**

ORDER	VERSIONS	Description	Designer	Date	Final Drawings	
ORDER NUMBER		Dim Vano/Cabina; Soffitto Inox SB.	L. Del Bianco	07/03/2014	Model	SHEET
		Vano da struttura a Muratura; Nuovo modulo rilievi.	L. Del Bianco	23/12/2013	ELFO	1/2
		Fattibilità 1885 per autodialer su parete Lato A.	D.Ogliastro	18/12/2013		SHEET DIMENS.
						A3
		CLIENT	Final Drawings	1° STESURA	SCALE	
		Elevator Boutique LLC	L. Del Bianco	06/08/14		
PLACE OF INSTALLATION		CAPACITY	AREA N°	CAPACITY		
		771 lbs	13,77			

ACCESSORI:

- Parte meccanica verniciata RAL 9022
- Guide in barre da 2,5 m
- Pistone verniciato RAL 9022
- Pompa a mano
- Pressostato con segnalazione di sovraccarico
- Due velocità
- Interruttore blocco porta quadro
- Predisposto per combinatore telefonico della Lift Shop
- Maniglie CASPIM
- Fotocellula tutta parete V2
- Arresti fissi in fossa
- Manovra Automatica 2011



Indirect Installation	Speed 59 fpm	06/08/14 14.55 (V.2846)	
THRUST DURING NORMAL OPERATION		THRUST OF SAFETY DEVICE INTERVENT	
P (lbf)	2685	P (lbf) 135	
N (lbf)	188	N (lbf) 1844	
F1 (lbf)	346	F1 (lbf) 577	
F2 (lbf)	72	F2 (lbf) 120	
SPACES		PRESSURES	
E.I. Extrarun below cabin	13/16"	Max static pressure (bar)	42.64
E.S. Extrarun above cabin	3 15/16"	Min static pressure (bar)	22.25
SF. Piston extraction	6 15/16"	Overpressure limit (bar)	59.70
S.S.P. Piston/head	28 1/16"	Residual pressure (bar)	1.48
S.S.C. Cabin/head	27 7/16"		

HYDRAULIC UNIT	MECHANICAL PARTS
Central unit GMV HL 3010 (-*)	Runners T70-2A
Capacity (l/min) 35	Brackets (Nr) 6
Motor (V) MF230V	Cables Ø 9 mm 6-(1+9+9)
Power (Kw) 2,9	Cables length (mm) 2 x 12000
Nominal current (A) 19	Min actual breaking load (N) 47300
Piston START Homø	70x5x3250
Opt. oil position BASSO	
Tubing 3/4" EN 853 1SN - FD 3/4" - GOMITO 3/4"	
Tubing length 551"	
Min hydraulic oil (L) 49	

SECURITY DEVICES	Manufacturer	Model	Certificate
Safety Gear	PFB	BP1	TÜV AFV515
Block Valve	START ELEVATOR	1/2" 0327	CA50.00525
Key Locks	Prudhomme	PLT/L/CPX NL 11-400-1002-125-02	

MACHINERY LOCATION			
At floor	3	Length of the hose travel	24 (ft)
Cables enter in shaft: Side	A		

CABIN	CABIN ACCESSORIES		
Panels	Galvanized sheet	Mirror	Side A,C,D
Finishes	Inox BA mecc.	Handrail	Inox Lucido, Side D
Oper. panel	HORIZONTAL DBK-02	Side A	Autodialer Predisposition only
Floor	By Customer		
Ceiling	SPOTS LED - Inox Scotch Brite		

- OTHER ACCESSORIES**
- Mechanic painted RAL 9022
 - Guides dimension 98 7/16"
 - Piston painted RAL 9022
 - Manual pump
 - Manostat with overweight signal
 - Two speed
 - Cabinet General switcher to enabling controller
 - Prepared for Autodialer by Lift Shop
 - Handles CASPIM
 - Full height infra-red curtain V2
 - Pit stop bow
 - Automatic Control 2011

The information contained in this drawing are completed by masonry manual rev.4 | * See masonry manual rev. 4

	ORDER	CLIENT	Final Drawings	1° STESURA
	ORDER NUMBER	PLACE OF INSTALLATION	L. Del Bianco	06/08/14
			Final Drawings	
			SCALE	SHEET
			OUT OF SCALE	2/2