



E1
Made in Italy

“the “wow” factor!
adding value to your home and lifestyle”



8 great reasons to choose Lift Shop

01

CERTAINTY

A showroom visit lets you experience the lift before you own it.

Showroom visits are essential to help you learn and experience the proposed lift system.

Informed and educated purchasers usually select the best.

Research your options carefully.

Our showrooms are incredible learning environments.

02

THE SAFEST LIFTS

In-cabin self-rescue feature is a standard inclusion.

24/7 call centre assistance.

AS1735 code compliant.

Full height infra-red light ray curtains.

Automatic lower and unlocks in the event of a power failure.

Proven reliability.

Proven technology.

03

THE LEADER FOR TECHNOLOGY

2 speed drives for maximum speed with smooth acceleration.

Computer monitoring of the latest lift operations for efficient diagnosis and repair.

Sized to suit, and styled to suit, has always been the Lift Shop advantage and the big difference from others.

04

THE PROCESS

We are not like the others.

Our designers assist to create the right lift, personalised to your requirements.

After your order is agreed, the construction support, site managers and installation teams will ship your Italian made lift to site and install it.

Our 140+ full time and experienced employees are installing more than 700 new lifts a year. The service department provides 24/7 support after that.

At Lift Shop you are supported from the start onwards. Its more than just a lift, it's a winning process.

05

UNBEATABLE VALUE

Our formula

Lifts – proven long history, stable and secure manufacturer, ultra-reliable premium quality.

Volumes – Lift Shop sells more lifts than any other Australian home lift specialist.

Costs – Annual costs shared by 5 offices, 700+ new lift clients, and thousands of routine service clients.

We do not have hidden extras.

Experience + efficiency + scale
= Great Value

06

A GENUINELY GREAT REPUTATION

Check Google Reviews and sites like productreview.com.au

100's of genuine, original testimonials from real clients can be read in our showroom's.

Independent awards and recognition.

We do not offer marketing testimonials.

Dealing with Lift Shop is fun and easy.

07

LOW SERVICE COSTS

Lift Shop only services and maintains its own quality lifts with full technical support and spares in Australia.

Other companies lifts distract from the attention good clients deserve.

We focus on you, with service plans tailored to your needs.

The large service team maintains 1000's of lifts.

See the mapping interface online for the service clients near you.

08

THE NO.1 HOME LIFT SPECIALIST

We are Australia's largest and best.

Lift Shop is a genuine full-service lift company with a range of premium proven home lifts.

We are the undisputed leader in Italian elevators.

We speak English, not jargon.

Our documents and quotes are clear and easy to understand.




Kirribilli, NSW

*“luxury hotel style lifts
for your home”*

Why It's Great

- Australia's No.1 swing door home elevator
- Next generation electric traction or traditional hydraulic
- The proven performer, since 2003
- Custom or pre-engineered to meet your budget
- Italy's very best
- Personalised for you
- Short lead times



Rose Bay, NSW



Highgate Hill, QLD



Sandringham, VIC

Free Inclusions

- MUST HAVE In-Cabin Self Rescue (\$1,380)
- Free storage one month (\$800)
- Material transport from storage to site (\$990)
- 2100mm cabin ceiling height (\$1,500)




Specifications

	Traditional Hydraulic	Next Generation Electric Traction
Capacity:	3 - 6 persons 300 - 500kg	
Speed:	Fast (0.15 – 0.30m/s) Approx 18 seconds for 3 floors	
Power:	Single phase 240V, 32A Low energy consumption	
Max travel:	6 floors 12m	
Openings:	Single (1), opposite (2), adjacent (2)	
Drive system:	Hydraulic	Electric traction
Headroom:	2400mm – 2700mm	
Pit depth:	150 – 170mm	
Compliance:	AS1735.15, AS1735.16, AS1735.18 and NCC E3.6	
Machine space	700mm x 560mm x 1535mm	Machine room less (MRL)
In-cabin rescue:	Included	

shafts by builder - designed to fit your space

single opening - side drive



Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth


POPULAR HYDRAULIC SIZES								*
800	1000	1000	1000	1200	1200	1100		
1000	1000	1200	1300	1200	1300	1400		
1150	1350	1350	1350	1550	1550	1450		
1160	1160	1360	1460	1360	1460	1560		

CUSTOM SIZE - EXAMPLE FORMULA	
1120mm Cabin Width	+ 350 = 1470mm Shaft Width
1130mm Cabin Depth	+ 160 = 1290mm Shaft Depth

POPULAR ELECTRIC SIZES								*
850	1000	1000	1000	1200	1200	1100		
1000	1000	1200	1300	1200	1300	1400		
1250	1400	1400	1400	1600	1600	1500		
1160	1160	1360	1460	1360	1460	1560		

CUSTOM SIZE - EXAMPLE FORMULA	
1120mm Cabin Width	+ 400 = 1520mm Shaft Width
1130mm Cabin Depth	+ 160 = 1290mm Shaft Depth

single opening - rear drive



Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth

POPULAR HYDRAULIC SIZES								*
800	1000	1000	1000	1200	1200	1100		
1000	1000	1200	1300	1200	1300	1400		
960	1160	1160	1160	1360	1360	1260		
1360	1360	1560	1660	1560	1660	1760		

CUSTOM SIZE - EXAMPLE FORMULA	
1130mm Cabin Width	+ 160 = 1290mm Shaft Width
1120mm Cabin Depth	+ 360 = 1480mm Shaft Depth

POPULAR ELECTRIC SIZES								*
850	1000	1000	1000	1200	1200	1100		
1000	1000	1200	1300	1200	1300	1400		
1010	1160	1160	1160	1360	1360	1260		
1410	1410	1610	1710	1610	1710	1810		

CUSTOM SIZE - EXAMPLE FORMULA	
1130mm Cabin Width	+ 160 = 1290mm Shaft Width
1120mm Cabin Depth	+ 410 = 1530mm Shaft Depth

All shaft widths and depths may be affected by door sizes and/or subject to factory confirmation

All dimensions are in mm

Note maximum possible cabin area is 1.60m²


Shaft dimensions are internal sizes

Flush car operating panels increases cabin width by 20mm

* 1100mm (w) x 1400mm (d) required for compliant disabled access

* Some popular sizes are pre-engineered for short lead times and lower prices

opposite opening



Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth

POPULAR HYDRAULIC SIZES *

Cabin Width	800	1000	1000	1000	1200	1200	1100
Cabin Depth	1000	1000	1200	1300	1200	1300	1400
Internal Shaft Width	1150	1350	1350	1350	1550	1550	1450
Internal Shaft Depth	1160	1160	1360	1460	1360	1460	1560

CUSTOM SIZE - EXAMPLE FORMULA

1120mm Cabin Width + 350 = 1470mm Shaft Width
1130mm Cabin Depth + 160 = 1290mm Shaft Depth


POPULAR ELECTRIC SIZES *

Cabin Width	850	1000	1000	1000	1200	1200	1100
Cabin Depth	1000	1000	1200	1300	1200	1300	1400
Internal Shaft Width	1250	1400	1400	1400	1600	1600	1500
Internal Shaft Depth	1160	1160	1360	1460	1360	1460	1560

CUSTOM SIZE - EXAMPLE FORMULA

1120mm Cabin Width + 400 = 1520mm Shaft Width
1130mm Cabin Depth + 160 = 1290mm Shaft Depth

adjacent opening



Cabin Width
Cabin Depth
Internal Shaft Width
Internal Shaft Depth

POPULAR HYDRAULIC SIZES *

Cabin Width	800	1000	1000	1000	1200	1200	1100
Cabin Depth	1000	1000	1200	1300	1200	1300	1400
Internal Shaft Width	1160	1360	1360	1360	1560	1560	1460
Internal Shaft Depth	1160	1160	1360	1460	1360	1460	1560

CUSTOM SIZE - EXAMPLE FORMULA

1120mm Cabin Width + 360 = 1480mm Shaft Width
1130mm Cabin Depth + 160 = 1290mm Shaft Depth

POPULAR ELECTRIC SIZES *


Cabin Width	850	1000	1000	1000	1200	1200	1100
Cabin Depth	1000	1000	1200	1300	1200	1300	1400
Internal Shaft Width	1260	1410	1410	1410	1610	1610	1510
Internal Shaft Depth	1160	1160	1360	1460	1360	1460	1560

CUSTOM SIZE - EXAMPLE FORMULA

1120mm Cabin Width + 410 = 1530mm Shaft Width
1130mm Cabin Depth + 160 = 1290mm Shaft Depth

shafts by Lift Shop - designed to fit your space

single opening - side drive



	POPULAR HYDRAULIC SIZES							*
Cabin Width	800	1000	1000	1000	1200	1200	1100	
Cabin Depth	1000	1000	1200	1300	1200	1300	1400	
External Shaft Width	1250	1450	1450	1450	1650	1650	1550	
External Shaft Depth	1270	1270	1470	1570	1470	1570	1670	

CUSTOM SIZE - HYDRAULIC FORMULA

1120mm Cabin Width + 450 = 1570mm Shaft Width

1130mm Cabin Depth + 270 = 1400mm Shaft Depth


	POPULAR ELECTRIC SIZES							*
Cabin Width	850	1000	1000	1000	1200	1200	1100	
Cabin Depth	1000	1000	1200	1300	1200	1300	1400	
External Shaft Width	1350	1500	1500	1500	1700	1700	1600	
External Shaft Depth	1270	1270	1470	1570	1470	1570	1670	

CUSTOM SIZE - ELECTRIC FORMULA

1120mm Cabin Width + 500 = 1620mm Shaft Width

1130mm Cabin Depth + 270 = 1400mm Shaft Depth

single opening - rear drive



	POPULAR HYDRAULIC SIZES							*
Cabin Width	800	1000	1000	1000	1200	1200	1100	
Cabin Depth	1000	1000	1200	1300	1200	1300	1400	
External Shaft Width	1070	1270	1270	1270	1470	1470	1370	
External Shaft Depth	1460	1460	1660	1760	1660	1760	1860	

CUSTOM SIZE - HYDRAULIC FORMULA

1130mm Cabin Width + 270 = 1400mm Shaft Width

1120mm Cabin Depth + 460 = 1580mm Shaft Depth

	POPULAR ELECTRIC SIZES							*
Cabin Width	850	1000	1000	1000	1200	1200	1100	
Cabin Depth	1000	1000	1200	1300	1200	1300	1400	
External Shaft Width	1120	1270	1270	1270	1470	1470	1370	
External Shaft Depth	1510	1510	1710	1810	1710	1810	1910	

CUSTOM SIZE - ELECTRIC FORMULA

1130mm Cabin Width + 270 = 1400mm Shaft Width

1120mm Cabin Depth + 510 = 1630mm Shaft Depth

All shaft widths and depths may be affected by door sizes and/or subject to factory confirmation

All dimensions are in mm

Note maximum possible cabin area is 1.60m²


Flush car operating panels may affect cabin / shaft dimensions

* Shaft dimensions are external sizes (Please allow +50mm to width and depth dimensions for space provided)

* 1100mm (w) x 1400mm (d) required for compliant disabled access

* Some popular sizes are pre-engineered for short lead times and lower prices

opposite opening



Cabin Width
Cabin Depth
External Shaft Width
External Shaft Depth


POPULAR HYDRAULIC SIZES							*
800	1000	1000	1000	1200	1200	1100	
1000	1000	1200	1300	1200	1300	1400	
1250	1450	1450	1450	1650	1650	1550	
1270	1270	1470	1570	1470	1570	1670	

CUSTOM SIZE - HYDRAULIC FORMULA	
1120mm Cabin Width	+ 450 = 1570mm Shaft Width
1130mm Cabin Depth	+ 270 = 1400mm Shaft Depth

POPULAR ELECTRIC SIZES							*
850	1000	1000	1000	1200	1200	1100	
1000	1000	1200	1300	1200	1300	1400	
1350	1500	1500	1500	1700	1700	1600	
1270	1270	1470	1570	1470	1570	1670	

CUSTOM SIZE - ELECTRIC FORMULA	
1120mm Cabin Width	+ 500 = 1620mm Shaft Width
1130mm Cabin Depth	+ 270 = 1400mm Shaft Depth

adjacent opening



Cabin Width
Cabin Depth
External Shaft Width
External Shaft Depth

POPULAR HYDRAULIC SIZES							*
800	1000	1000	1000	1200	1200	1100	
1000	1000	1200	1300	1200	1300	1400	
1260	1460	1460	1460	1660	1660	1560	
1270	1270	1470	1570	1470	1570	1670	

CUSTOM SIZE - HYDRAULIC FORMULA	
1120mm Cabin Width	+ 460 = 1580mm Shaft Width
1130mm Cabin Depth	+ 270 = 1400mm Shaft Depth

POPULAR ELECTRIC SIZES							*
850	1000	1000	1000	1200	1200	1100	
1000	1000	1200	1300	1200	1300	1400	
1360	1510	1510	1510	1710	1710	1610	
1270	1270	1470	1570	1470	1570	1670	

CUSTOM SIZE - ELECTRIC FORMULA	
1120mm Cabin Width	+ 510 = 1630mm Shaft Width
1130mm Cabin Depth	+ 270 = 1400mm Shaft Depth

South Coogee, NSW



types



Steel Mono C1



Aluminium



Frameless Villa Door

handles



Quadro



Style Short



Style Long

finishes

Primed (rust proof) RAL 7001 smooth

RAL powdercoated

European colour choice

Anodised aluminium

Fire rated 1 - 2 hours

Stainless steel - polished/brushed

hotel style steel and glass shafts

Pre engineered shafts for internal and external applications are designed to be carried onto site through regular door openings.

The structural steel can be RAL powdercoated or merely galvanised for cladding by others.

Stainless steel is also available, discuss with your designer.



Cross Bracing



Ring Beams



Brackets




TT - 02



TT - 01

Awnings will not prevent water from entering the lift shaft

shaft cladding / structure / walls / doors



Transparent



Etched Neutral



Milky White



Fume Smoked




Pure White



Pub Nero Black



Stop-Sol Bronze Bronzed



Stop-Sol Grey Reflective



Mirror Silver / Grey / Bronze



Brushed Stainless Steel



Polished Stainless Steel



Galvanised + RAL Powdercoated



Italian Skinplate Finishes



F12PPS
Similinox



F41PPS
Stainless Look



N3PP
Gloss Black



N3S
Matt Black



PPS1 Grigio



PPS11
Avorio



DT29
Beige



N4
Anthracite




A1
Textured White



A32PP
Smooth White



DL36A
Dark Wood



DL8A
Whitewash Timber




*“blend in
or stand out”*

Toorak, VIC



Arpa Laminate Finishes



0509



3320



3192




4367



4518



4511



4517




4071



0001



9150



2619




2618

*“Designed to compliment
your decor”*



Vinyl Collection




131 - 081
Private Black



158
Tabac Grey




121 - 155
Smoked Pearl



Gomma a Bolle
Grigio



Gomma a Bolle
Nero



Custom


Stone Collection




677
White Star




607
Polar Ice




Venus Grey




Blue Whale



Titan Grey



Clay



616
Perla Bianca



2400
White



Statuario



Terracotta



Black Star




Nero Maltese




Maribyrnong, VIC




Energy Efficient LEDs



Dama




Universal



Labirint



LED Spotlights



Starry Sky



Ceiling Finishes
Skinplate
RAL
Stainless Steel

Custom Design Your Own



Aluminium



Brushed Stainless Steel



Polished Stainless Steel

Models



Vertical



Flush Vertical

Displays



Icaro



Dedalo

Finishes

- Skinplate (n/a flush)
- Galvanized
- Stainless Steel (brushed or polished)
- RAL Powdercoated

Flush mounted phones



Black



Brushed
Stainless Steel



Polished
Stainless Steel

Handset phones



Black



GSM phone
NBN ready emergency system

Machine cabinet



700mm x 560mm x 1535mm
in F12PPS skinplate

SYDNEY

1/75 Corish Circle
Eastgardens NSW 2036
T 02 9666 3939



PERTH

Home Base
15/75 Robinson Avenue
Belmont WA 6104
T 08 9460 0666

MELBOURNE

1/1 Belgium Avenue
Richmond VIC 3121
T 03 9421 4222



BRISBANE

4/300 Cullen Avenue East
Eagle Farm QLD 4009
T 07 3014 0633

LOS ANGELES

Pacific Design Center
Blue Building - Suite B-110
8687 Melrose Avenue
West Hollywood CA 90069
T 855 326 8847



liftshop.com.au
1800 440 714

Awesome

Disclaimer

All illustrations, information and specifications presented and referred to in this brochure were correct at the time when this brochure was approved for printing. The colour in the photographs may vary from actual colours, however **LiftShop** Pty Ltd reserves the right, subject to laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products.